

Bibliography 1982-1983

This is the second installment of the current citations in butterfly biology series. See the previous issue of the *Journal of Research on the Lepidoptera* for more 1982 citations.

- Arnold, R. A., 1983. Ecological studies of 6 endangered butterflies (Lepidoptera, Lycaenidae): Island biogeography, patch dynamics and the design of habitat preserves. *Univ. Calif. Publ. Entomol.* 99:1-161.
- Barlow, H. S., 1982. An Introduction to the Moths of South East Asia. Oxon, England: E. W. Classey Ltd., 305 pp.
- Barselou, P. E., 1983. The Genus *Agrias*: A Taxonomic and Illustrated Guide (Lepidoptera: Nymphalidae). Compiegne, France: Sciences Nat., 96 pp.
- Blau, W. S. & P. Feeny, 1983. Divergence in larval responses to food plants between temperate and tropical populations of the black swallowtail butterfly. *Ecol. Entomol.* 8:249-258.
- Bopprie, M., 1983. Leaf-scratching — a specialized behaviour of danaine butterflies (Lepidoptera) for gathering secondary plant substances. *Oecologia* (Berlin) 59:414-416.
- Bowers, M. D., 1983. Mimicry in North American checkerspot butterflies: *Euphydryas phaeton* and *Chlosyne harrisii* (Nymphalidae). *Ecol. Entomol.* 8:1-8.
- _____, 1983. The role of iridoid glycosides in host-plant specificity of checker-spot butterflies. *J. Chem. Ecol.* 9:475-494.
- Calvert, W. H. & F. E. Hanson, 1983. The role of sensory structures and preoviposition behavior in oviposition by the patch butterfly, *Chlosyne lacinia*. *Entomol. Exp. Appl.* 33:179-187.
- Calvert, W. H., W. Zuchowski & L. P. Brower, 1982. The impact of forest thinning on microclimate in monarch butterfly (*Danaus plexippus*) overwintering areas of Mexico. *Bol. Soc. Bot. Mex.* 42:11-18.
- _____, 1983. The effect of rain, snow, and freezing temperatures on overwintering monarch butterflies in Mexico. *Biotropica* 15:42-47.
- Clarke, C. & F. M. M. Clarke, 1983. Abnormalities of wing pattern in the Eastern Tiger Swallowtail butterfly, *Papilio glaucus*. *Syst. Ent.* 8:25-28.
- Clench, H. K. & P. A. Opler, 1983. Studies on Nearctic *Euchloe*. Part 8. Distribution, ecology, and variation of *Euchloe olympia* (Pieridae) populations. *Annals of Carnegie Museum* 52:41-54.
- Courtney, S. P., 1983. Models of hostplant location by butterflies: The effect of search images and search efficiency. *Oecologia* (Berlin) 59:317-321.
- Courtney, S. P. & A. E. Dugan, 1983. The population biology of the Orange Tip butterfly *Anthocharis cardamines* in Britain. *Ecol. Entomol.* 8:271-282.
- D'Abraera, B. D., 1982. Butterflies of the Oriental Region, Part 1: Papilionidae, Pieridae, Danaidae. Victoria, Australia: Hill House, in association with E. W. Classey, 244 pp.
- Eliot, J. N. & A. Kawazoe, 1983. Blue Butterflies of the *Lycaenopsis* Group. London: Brit. Mus. Nat. Hist., 296 pp.
- Finlay, R., M. R. Young & J. Findlay, 1983. Orientation behavior in the grayling butterfly: Thermoregulation or crypsis? *Ecol. Entomol.* 8:145-154.

- Glass, H. W. Jr. & M. L. Pan, 1983. Laboratory rearing of monarch butterflies (Lepidoptera: Danaidae), using an artificial diet. Ann. Entomol. Soc. Am. 76:475-476.
- Hazel, W. N. & D. A. West, 1982. Pupal color dimorphism in swallowtail butterflies as a threshold trait: Selection in *Eurytides marcellus*. Heredity 49:295-302.
- _____, 1983. The effect of larval photoperiod on pupal color and dia-pause in swallowtail butterflies. Ecol. Entomol. 8:37-42.
- Hodges, R. W. et al., 1983. Check List of the Lepidoptera of America North of Mexico. London: E. W. Classey and Wedge Entomological Research Foundation; Washington, D.C.: Distributors, the Foundation c/o National Mus. of Nat. Hist., 284 pp.
- Honda, K., 1983. Defensive potential of components of the larval osmeterial secretion of papilionid butterflies against ants. Phys. Ent. 8:173-179.
- Iwasa, Y., F. J. Odendaal, D. D. Murphy, P. R. Ehrlich & A. E. Launer, 1983. Emergence patterns in male butterflies: A hypothesis and a test. Theor. Popul. Biol. 23:363-379.
- James, D. G., 1983. Induction of reproductive dormancy in Australian monarch butterflies, *Danaus plexippus*. Aust. J. Zool. 31:491-498.
- James, D. G. & D. F. Wales, 1983. Sensitivity to juvenile hormone is not reduced in clustering monarch butterflies, *Danaus plexippus*, in Australia. Phys. Ent. 8:273-276.
- Jennersten, O., 1983. Butterfly visitors as vectors of *Ustilago violacea* spores between caryophyllaceous plants. Oikos 40:125-130.
- Jones, R. E., J. R. Hart & G. D. Bull, 1982. Temperature, size and egg production in the cabbage butterfly, *Pieris rapae*. Aust. J. Zool. 30:223-232.
- Kareiva, P. M., 1983. Local movement in herbivorous insects: applying a passive diffusion model to mark-recapture field experiments. Oecologia (Berlin) 57:322-327.
- Kingsolver, J. G., 1983. Thermoregulation and flight in *Colias* butterflies: Elevational patterns and mechanistic limitations. Ecology 64:534-545.
- _____, 1983. Ecological significance of flight activity in *Colias* butterflies: Implications for reproductive strategy and population structure. Ecology 64: 546-551.
- Kingsolver, J. G & W. B. Watt, 1983. Thermoregulatory strategies in *Colias* butterflies: Thermal stress and the limits to adaptation in temporally varying environments. Am. Nat. 121:32-55.
- Lederhouse, R. C., 1982. Factors affecting equal catchability in two swallowtail butterflies, *Papilio polyxenes* and *Papilio glaucus*. Ecol. Entomol. 7:379-384.
- _____, 1982. Territorial defense and lek behavior of the black swallowtail butterfly, *Papilio polyxenes*. Behav. Ecol. Sociobiol 10:109-118.
- _____, 1983. Population structure, residency and weather related mortality in the black swallowtail butterfly, *Papilio polyxenes*. Oecologia (Berlin) 59: 307-311.
- Lederhouse, R. C., M. D. Finke, J. M. Scriber, 1982. The contributions of larval growth and pupal duration to protandry in the black swallowtail butterfly, *Papilio polyxenes*. Oecologia 53:296-300.
- Levin, D. B., J. E. Laing, R. P. Jacques & J. E. Corrigan, 1983. Transmission of

- the granulosis virus of *Pieris rapae* (Lepidoptera: Pieridae) by the parasitoid *Apanteles glomeratus* (Hymenoptera: Braconidae). Environ. Entomol. 12: 166-170.
- Maguire, L. A., 1983. Influence of collard patch size on population densities of lepidopteran pests (Lepidoptera: Pieridae, Plutellidae). Environ. Entomol. 12: 1415-1419.
- Murphy, D. D., 1983. Nectar sources as constraints on the distribution of egg masses by the checkerspot butterfly *Euphydryas chalcedona* (Lepidoptera: Nymphalidae). Environ. Entomol. 12:463-466.
- Murphy, D. D., A. E. Launer & P. R. Ehrlich, 1983. The role of adult feeding in egg production and population dynamics of the checkerspot butterfly *Euphydryas editha*. Oecologia (Berlin) 56:257-263.
- Pearse, F. K. & N. D. Murray, 1982. Sex and variability in the common brown butterfly *Heteronympha merope merope* (Lepidoptera: Satyrinae). Evolution 36:1251-1264.
- Rausher, M. D., 1983. Alteration of oviposition behavior by *Battus philenor* butterflies in response to variation in hostplant density. Ecology 64:1028-1034.
- Rausher, M. D. & D. P. Papaj, 1983. Demographic consequences of discrimination among conspecific host plants by *Battus philenor* butterflies. Ecology 64: 1402-1410.
- _____, 1983. Host plant selection by *Battus philenor* butterflies: Evidence for individual differences in foraging behavior. Anim. Behav. 31: 341-347.
- Renwick, J. A. A. & C. D. Radke, 1983. Chemical recognition of host plants for oviposition by the cabbage butterfly, *Pieris rapae* (Lepidoptera: Pieridae). Environ. Entomol. 12:446-450.
- Schmitt, J., 1983. Flowering plant density and pollinator visitation in *Senecio*. Oecologia (Berlin) 60:97-102.
- Scriber, J. M. & R. C. Lederhouse, 1983. Temperature as a factor in the development and feeding ecology of tiger swallowtail caterpillars, *Papilio glaucus* (Lepidoptera). Oikos 40:95-102.
- Sims, S. R. & A. M. Shapiro, 1983. Pupal diapause in *Battus philenor* (Lepidoptera: Papilionidae). Ann. Entomol. Soc. Am. 76:407-412.
- Sonntag, G., 1983. Studies on the affinity of marbled white butterfly (*Agapetus galathaea*) females to flowers. Z. Tierpsychol. 61:235-249.
- Stanton, M. L. & R. E. Cook, 1983. Sources of intraspecific variation in the host-plant seeking behavior of *Colias* butterflies. Oecologia (Berlin) 60:365-370.
- Tabashnik, B. E., 1983. Host range evolution: the shift from native legume hosts to alfalfa (*Medicago sativa*) by the butterfly, *Colias philodice eriphyle*. Evolution 37:150-162.
- _____, 1983. Oviposition specificity in single vs. cluster egg-laying butterflies: A discrimination phase in *Colias eurytheme*? Oecologia (Berlin) 58:278-279.
- Tepedino, V. J., 1983. Pollen carried for long periods by butterflies: some comments. Oikos 41:144-145.
- Thomas, J. A., 1983. A quick method for estimating butterfly numbers during surveys. Biol. Conserv. 20:195-212.
- Turner, J. R. G., 1983. Mimetic butterflies and punctuated equilibria: some old

- light on a new paradigm. Biol. J. Linn. Soc. 20:277-300.
- Volkovich, T. A. & N. I. Goryshin, 1982. The estimation of day-length in the threshold zone and influence of the graduability factor on the photoperiodic reaction in the large white butterfly, *Pieris brassicae* (Lepidoptera, Pieridae). Entomol. Obozr. 61:454-462.
- Watanabe, M., 1983. Radial growth patterns of a pioneer tree, *Zanthoxylus allianthoides* (Rutales: Rutaceae), related to the population dynamics of a swallowtail butterfly, *Papilio xuthus* (Lepidoptera: Papilionidae). Jpn. J. Ecol. 33:253-262.
- Watt, W. B., 1983. Adaptation at specific loci. II. Demographic and biochemical elements in the maintenance of the *Colias* PGI polymorphism. Genetics 103:691-724.
- Watt, W. B., R. C. Cassin & M. S. Swan, 1983. Adaptation at specific loci. III. Field behavior and survivorship differences among *Colias* PGI genotypes are predictable from *in vitro* biochemistry. Genetics 103:725-739.
- Webb, C. J. & K. S. Bawa, 1983. Pollen dispersal by hummingbirds and butterflies: A comparative study of 2 lowland tropical plants. Evolution 37:1258-1270.
- Wickman, P. & C. Wiklund, 1983. Territorial defense and its seasonal decline in the speckled wood butterfly (*Pararge aegeria*). Anim. Behav. 11:1206-1216.
- Wiklund, C. & A. Persson, 1983. Fecundity, and the relation of egg weight variation to offspring fitness in the speckled wood butterfly *Pararge aegeria*, or why don't butterfly females lay more eggs? Oikos 40:53-63.
- Wiklund, C., A. Persson & P. O. Wickman, 1983. Larval aestivation and direct development as alternative strategies in the speckled wood butterfly, *Pararge aegeria*, in Sweden. Ecol. Entomol. 8:233-238.
- Williams, K. S., D. E. Lincoln & P. R. Ehrlich, 1983. The coevolution of *Euphydryas chalcedona* butterflies and their larval host plants: 1. Larval feeding behavior and host plant chemistry. Oecologia (Berlin) 56:323-329.
- _____, 1983. The coevolution of *Euphydryas chalcedona* butterflies and their larval host plants: 2. Maternal and host plant effects on larval growth, development and food-use efficiency. Oecologia (Berlin) 56:330-335.
- Wojtusiak, J. & P. Racza, 1983. Silking behavior of the swallowtail *Papilio machaon* and the peacock *Vanessa io* L. (Lepidoptera, Papilionidae, Nymphalidae) butterflies before pupation. Folia. Biol. (Krakow) 31:39-52.
- Yamamoto, M., 1983. Microhabitat segregation in 2 closely related pierid butterflies. Jpn. J. Ecol. 33:263-270.

Dennis D. Murphy, Department of Biological Sciences, Stanford University, Stanford, California 94305